



Smederevac



Štednjaci i peći za etažno grejanje Central heating cookers and stoves	3 - 12
Štednjaci na čvrsta goriva Solid fuel cookers	13 - 24
Peći na čvrsta goriva Solid fuel stoves	25 - 36
Elektro i kombinovani štednjaci Electric and dual fuel cookers	37 - 45
Tabela tehničkih karakteristika Technical data table	46 - 50
Sertifikati Certificates	51
Istorija u slici History in picture	52

O nama About MBS

Milan Blagojević iz Smedereva je privatna fabrika u okviru Invej grupacije. Osnovni asortiman proizvoda su šporeti i peći na čvrsto gorivo / električni šporeti sa najvećim međunarodnim standardima kvaliteta. Fabrika je otvorila svoj put na evropska i svetska tržišta svojim stalnim razvojem i prilagođavanjem zahtevima različitih tržišta.

Fabrika je osnovana 1923 god. i od tada do danas je stvorila prepoznatljivi proizvođački brend tradicije i kvaliteta. Ostvarene su saradnje sa francusko - belgijskom firmom ARTUR-MARTIN, korporacijom CANDY, HOOVER, ROSIERES, ZEROWATT, IBERNA, KELVINATOR, OTSEIN I GASFIRE.

Rukovodstvo MBS-a ima vodeću ulogu u primeni i stalnom poboljšavanju sistema upravljanja kvalitetom i zaštitom životne sredine, usaglašenog sa zahtevima standarda ISO 9001:2008 i ISO 14001:2009.

Milan Blagojević from Smederevo is privately owned factory and it is integral part of Invej group.

Basic assortment of our products are wood-cookers and stoves /electric range cookers in accordance with international quality standards.

Our company had created its own path on European and World markets by constant improvement and adjusting to various markets requirements.

Factory was founded in the year 1923 and until now it has created well recognized manufacturing brand, tradition and quality. Company had realised cooperation with French-Belgium company ARTHUR-MARTIN, CANDY group, HOOVER, ROSIERES, ZEROWATT, IBERNA, KELVINATOR, OTSEIN I GASFIRE.

MBS management has leading role in implementing and constant improvement of quality management system and environmental management system in accordance with requirements of standards ISO 9001:2008 and ISO 14001:2009.



Štednjaci i peći
za etažno grejanje
**Central heating
cookers and stoves**



Thermo Rocky

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x900x600 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	400x290x430 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo / ugalj) Power (wood / coal)	25 kW / 17 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	16 kW / 9,4 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	9 kW / 7,6 kW
Zapremina kotla Boiler volume	22 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	87 % / 82 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva Fuel type	drvo, ugalj wood, coal

Boje
Colors



Thermo Magnum



Dimenzije (VxŠxD) Dimensions (HxWxD)	865x1070x660 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	280x230x370 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	265x350x465 mm
Snaga (drvo / ugalj) Power (wood / coal)	14 kW / 17 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	9 kW / 9 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	5 kW / 8 kW
Zapremina kotla Boiler volume	11 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	89 % / 85 %
Odvod dima Fume outlet	zadnji, centralni / back, up / Ø 120 mm
Tip goriva Fuel type	drvo, ugalj wood, coal



Boje
Colors

Super Thermo Magnum

Dimenzije (VxŠxD)	865x1070x660 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	300x400x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	280x270x420 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	21 kW / 21 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	13 kW / 11 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	8 kW / 10 kW
Power given to room (wood / coal)	
Zapremina kotla	19 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	86 % / 89 %
Efficiency (wood / coal)	
Odvod dima	zadnji, centralni /
Fume outlet	back, up / Ø 130 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors



Thermo Royal 720

Dimenzije (VxŠxD)	850x720x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	467x272x352 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	11 kW / 14 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	6 kW / 6 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	5 kW / 8 kW
Power given to room (wood / coal)	
Zapremina kotla	4 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	86 % / 86 %
Efficiency (wood / coal)	
Odvod dima	levi, desni, zadnji, centralni /
Fume outlet	left, right, back, up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Thermo Vulkan

Dimenzije (VxŠxD) Dimensions (HxWxD)	780x650x545 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	310x400x400 mm
Snaga (drvo / ugalj) Power (wood / coal)	19,7 kW / 24,8 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	14 kW / 14,6 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	5,7 kW / 10,2 kW
Zapremina kotla Boiler volume	24 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	86 % / 85 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva (drvo / ugalj) Fuel type (wood / coal)	drvo, ugalj wood, coal

Boje
Colors



Thermo Vulkan Plus

Dimenzije (VxŠxD) Dimensions (HxWxD)	1170x650x580 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	290x425x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo / ugalj) Power (wood / coal)	24 kW / 23 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	15 kW / 14 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	9 kW / 9 kW
Zapremina kotla Boiler volume	26 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	85 % / 86 %
Odvod dima Fume outlet	centralni / up / Ø 130 mm
Tip goriva (drvo / ugalj) Fuel type (wood / coal)	drvo, ugalj wood, coal



Boje
Colors

Thermo In

Dimenzije (VxŠxD) Dimensions (HxWxD)	1000x650x545 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	320x408x390 mm
Snaga (drvo / ugalj) Power (wood / coal)	16 kW / 19 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	8 kW / 8 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	8 kW / 11 kW
Zapremina kotla Boiler volume	23 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	88 % / 87 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva (drvo / ugalj) Fuel type (wood / coal)	drvo, ugalj wood, coal

Boje
Colors



Thermo Vesta



Dimenzije (VxŠxD) Dimensions (HxWxD)	890x455x440 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	420x213x334 mm
Snaga (drvo / ugalj) Power (wood / coal)	8 kW / 11 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	6,5 kW / 9 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	1,5 kW / 2 kW
Zapremina kotla Boiler volume	4 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	83 % / 82 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva (drvo / ugalj) Fuel type (wood / coal)	drvo, ugalj wood, coal



Boje
Colors

Thermo Pellet

Dimenzije (VxŠxD)
Dimensions (HxWxD) 1168x596x713 mm

Snaga
Power 18 kW

Snaga predata vodi
Power given to water 14 kW

Snaga predata okolini
Power given to room 4 kW

Snaga električnog dela
Power of electric part 0,5 kW

Zapremina kotla
Boiler volume 46 l

Stepen iskorišćenja
Efficiency 90 %

Odvod dima
Fume outlet zadnji /
back / Ø 80 mm

Tip goriva
Fuel type pelet
pellet

Nedeljno programiranje rada (do sedam dana unapred) /
Automatsko puštanje u rad / Daljinsko upravljanje
**Weekly programming (up to seven days in advance) /
Automatic start-up / Remote control**

Boje
Colors



Štednjaci na čvrsto gorivo Solid fuel cookers



Strong

Dimenzije (VxŠxD)	863x902x653 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	320x250x350 mm
Firebox dimensions (HxWxD)	
Dimenzije pečnice (VxŠxD)	440x300x438 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	10 kW / 7,5 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	81 % / 80 %
Efficiency (wood / coal)	
Odvod dima	centralni, zadnji /
Fume outlet	up, back / Ø 120/130 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors



Magnum

Dimenzije (VxŠxD)	865x1070x660 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x270x350 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	11 kW / 12 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	89 % / 85 %
Efficiency (wood / coal)	
Odvod dima	centralni, zadnji /
Fume outlet	up, back / Ø 120/130 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Boje
Colors

Rocky

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x900x600 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	400x320x450 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo / ugalj) Power (wood / coal)	11 kW / 12 kW
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	81 %/ 80 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva Fuel type	drvo, ugalj wood, coal

Boje
Colors



Trend

Dimenzije (VxŠxD)	858x894x420 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	260x280x367 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	205x367x325 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	7,5 kW/ 8 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	77 % / 73 %
Efficiency (wood / coal)	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Royal 900

Dimenzije (VxŠxD)	850x900x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	175x250x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x500x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	9 kW / 9 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	60 %/ 62 %
Efficiency (wood / coal)	
Odvod dima	levi, desni, centralni, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors





Royal 720

Dimenzije (VxŠxD)	850x720x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	175x250x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	8 kW / 7 kW
Power	
Stepen iskorišćenja (drvo / ugalj)	73 % / 71 %
Efficiency	
Odvod dima	levi, desni, centralni, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Smederevac MBS 9 RS

Dimenzije (VxŠxD) Dimensions (HxWxD)	740x945x645 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	250x200x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	200x490x460 mm
Snaga (drvo) Power (wood)	10 kW
Stepen iskorišćenja (drvo) Efficiency (wood)	85 %
Odvod dima Fume outlet	levi, desni / left, right / Ø 120 mm
Tip goriva Fuel type	drvo, uglj wood, coal

Boje
Colors



Smederevac MBS 9



Dimenzije (VxŠxD)	740x945x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	195x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x490x460 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	9 kW
Power (wood)	
Stepen iskorišćenja (drvo)	60 %
Efficiency (wood)	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Smederevac MBS 7 RS

Dimenzije (VxŠxD) Dimensions (HxWxD)	740x820x645 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	250x200x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	200x430x460 mm
Snaga (drvo) Power (wood)	9,5 kW
Stepen iskorišćenja (drvo) Efficiency (wood)	85 %
Odvod dima Fume outlet	levi, desni / left, right / Ø 120 mm
Tip goriva Fuel type	drvo, uglj wood, coal

Boje
Colors



Smederevac MBS 7

Dimenzije (VxŠxD)	740x820x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	195x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x430x460 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	8,5 kW / 9,5kW
Power (wood)	
Stepen iskorišćenja (drvo)	85 % / 86 %
Efficiency (wood)	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo, uglj
Fuel type	wood, coal



Smederevac MBS 3

Dimenzije (VxŠxD) Dimensions (HxWxD)	740x720x570 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	195x200x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	200x300x400 mm
Snaga (drvo / ugalj) Power (wood / coal)	6,5kW / 10 kW
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	81 % / 85 %
Odvod dima Fume outlet	levi, desni / left, right / Ø 120 mm
Tip goriva Fuel type	drvo, ugalj wood, coal

Boje
Colors



Peći
na čvrsto gorivo
**Solid fuel
ovens**



Eva

Dimenzije (VxŠxD) Dimensions (HxWxD)	780x605x555 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	400x500x420 mm
Snaga (drvo) Power (wood)	10 kW
Stepen iskorišćenja (drvo) Efficiency (wood)	80 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva Fuel type	drvo wood

Boje
Colors



Elit

Dimenzije (VxŠxD)	985x588x493 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	298x400x364 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	8,6 kW / 9 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	76 % / 74 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Vulkan

Dimenzije (VxŠxD) Dimensions (HxWxD)	735x650x545 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	265x390x400 mm
Snaga (drvo / ugalj) Power (wood / coal)	17 kW / 21 kW
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	83 % / 84 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva Fuel type	drvo, ugalj wood, coal

Boje
Colors



Olymp

Dimenzije (VxŠxD)	850x585x640 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	310x250x340 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	12 kW / 12 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	80 % / 82 %
Efficiency (wood / coal)	
Odvod dima	zadnji /
Fume outlet	back / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Boje
Colors

Olympia

Dimenzije (VxŠxD) Dimensions (HxWxD)	1120x585x640 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	330x250x340 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	280x270x425 mm
Snaga (drvo / ugalj) Power (wood / coal)	12 kW / 18 kW
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	87 % / 87 %
Odvod dima Fume outlet	zadnji / back / Ø 120 mm
Tip goriva Fuel type	drvo, ugalj wood, coal

Boje
Colors



Vesta

Dimenzije (VxŠxD) Dimensions (HxWxD)	890x455x440 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	280x400x340 mm
Snaga (drvo / ugalj) Power (wood / coal)	9 kW / 9,5 kW
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	85 % / 86 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva Fuel type	drvo, ugalj wood, coal



Boje
Colors

Hit

Dimenzije (VxŠxD)	850x500x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x280x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	11 kW / 13 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	82 % / 83 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors



Corner

Dimenzije (VxŠxD)	850x640x575 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x280x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	10 kW / 12 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	81 % / 86 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Hera

Dimenzije (VxŠxD)	850x400x560 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	280x290x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	7 kW
Power (wood)	
Stepen iskorišćenja (drvo)	89 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo, uglj
Fuel type	wood, coal

Boje
Colors



Happy

Dimenzije (VxŠxD)	720x400x400 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	265x220x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	6 kW
Power (wood)	
Stepen iskorišćenja (drvo)	82 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva / Potrošnja (drvo / ugalj)	drvo, ugalj
Fuel type / Consumption (wood / coal)	wood, coal



MBS Pellet - 6 kW / 8,5 kW / 10 kW

Dimenzije (VxŠxD) 980x560x490 mm
Dimensions (HxWxD)

Snaga 6 kW / 8,5 kW / 10 kW
Power

Snaga električnog dela 0,5 kW
Power of electric part

Stepen iskorišćenja 88 %
Efficiency

Odvod dima zadnji / Ø 80 mm
Fume outlet back / Ø 80 mm

Tip goriva pelet
Fuel type pellet

Nedeljno programiranje rada (do sedam dana unapred) /
Automatsko puštanje u rad / Daljinsko upravljanje
**Weekly programming (up to seven days in advance) /
Automatic start-up / Remote control**

Boje
Colors



Električni i kombinovani
proizvodi
Electric and dual fuel
products



Mini

Dimenzije (VxŠxD) Dimensions (HxWxD)	315x570x350mm
Ukupna instalirana snaga Total installed power	3,6kW
●○ Ringla - standardna Hot plate - standard	Ø145mm/1,0kW
○● Ringla - standardna Hot plate - standard	Ø180mm/1,5kW
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325mm
Zapremina pećnice / Oven volume	24l
Gornji grejač / Upper heater	550W
Donji grejač / Bottom heater	550W
Maksimalna temperatura pećnice / Max oven temperature	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom / Double glass door	•



Boje
Colors



Mini Glass



Dimenzije (VxŠxD) Dimensions (HxWxD)	315x570x350mm
Ukupna instalisana snaga Total installed power	3,5 kW
●○ Leva grejna površina Left Cooking zone	Ø145 mm / 1,2 kW
○● Desna grejna površina Right cooking zone	Ø145 mm / 1,2 kW
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325mm
Zapremina pećnice / Oven volume	24l
Gornji grejač / Upper heater	550W
Donji grejač / Bottom heater	550W
Maksimalna temperatura pećnice / Max oven temperature	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom / Double glass door	•

Mini gas

Dimenzije (VxŠxD) Dimensions (HxWxD)	350x570x350mm
Ukupna instalirana snaga Total installed power	5,1kW
<input checked="" type="radio"/> Gorionik - veliki Burner - large	3kW
<input type="radio"/> Gorionik - mali Burner - small	1kW
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325mm
Zapremina pećnice / Oven volume	24l
Gornji grejač / Upper heater	550W
Donji grejač / Bottom heater	550W
Maksimalna temperatura pećnice / Max oven temperature	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom / Double glass door	•



Boje
Colors



Mini Up

UGRADNA PEĆNICA / BUILT-IN OVEN

Dimenzije (VxŠxD) / Dimensions (HxWxD)	370x515x408 mm
Dimenzije prostora za ugradnju (VxŠxD) Built-in area dimensions (HxWxD)	365x490x450 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325 mm
Zapremina pećnice / Oven volume	24,5 l
Ukupna snaga / Total power	1,1 kW
Gornji grejač / Upper heater	550W
Donji grejač / Bottom heater	550W
Težina / Weight	18,5 kg
Maksimalna temperatura pečenja Max oven temperature	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom Double glass door	•
Tajmer / Timer	•

E 50 / E 501

TIP / TYPE	E 50	E 501
Dimenzije (VxŠxD) Dimensions (HxWxD)	850x500x600mm	
Ukupna instalisana snaga / Nazivna snaga Total installed power / Nominal power	9,85kW / 7,85kW	9,85kW / 8,45kW
○ Ringla - standardna ● Ringla - standardna Hot plate - standard	Ø180mm/1,5kW	
● Ringla - standardna ○ Ringla - standardna Hot plate - standard	Ø145mm/1,0kW	
○ Ringla - brzogrejuća ● Ringla - brzogrejuća Hot plate - fast heating	Ø145mm/1,5kW	
○ Ringla - standardna ● Ringla - standardna Hot plate - standard	Ø180mm/1,5kW	
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	300x430x465mm	
Gornji grejač / Upper heater	0,95kW	
Donji grejač / Bottom heater	1,4kW	
Infra grejač / Infra heater	2,0kW	
Ventilator / Fan	/	•
Emajlirana tava / Enamelled frying pan	•	
Aluminijumska tava / Aluminum pan	/	x 2
Rešetka / Grid	•	

Boje
Colors



E 60 / E 601



TIP / TYPE	E 60	E 601
Dimenzije (VxŠxD) Dimensions (HxWxD)	850x600x600mm	
Ukupna instalisana snaga / Nazivna snaga Total installed power / Nominal power	9,85kW / 7,85kW	9,85kW / 8,45kW
○ Ringla - standardna ● Ringla - standardna Hot plate - standard	Ø180mm/1,5kW	
● Ringla - standardna ○ Ringla - standardna Hot plate - standard	Ø145mm/1,0kW	
○ Ringla - brzogrejuća ● Ringla - brzogrejuća Hot plate - fast heating	Ø145mm/1,5kW	
● Ringla - standardna ○ Ringla - standardna Hot plate - standard	Ø180mm/1,5kW	
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	300x430x465mm	
Gornji grejač / Upper heater	0,95kW	
Donji grejač / Bottom heater	1,4kW	
Infra grejač / Infra heater	2,0kW	
Ventilator / Fan	/	•
Emajlirana tava / Enamelled frying pan	•	
Aluminijumska tava / Aluminum pan	/	x 2
Rešetka / Grid	•	

Boje
 Colors

K 50

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x500x600mm
Ukupna instalisana snaga / Nazivna snaga Total installed power / Nominal power	10,85kW
<input type="radio"/> Ringla - standardna <input checked="" type="radio"/> Hot plate - standard	Ø180mm/1,5kW
<input checked="" type="radio"/> Ringla - standardna <input type="radio"/> Hot plate - standard	Ø145mm/1,0kW
<input type="radio"/> Gorionik - mali <input checked="" type="radio"/> Burner - small	1,0kW
<input checked="" type="radio"/> Gorionik - veliki <input type="radio"/> Burner - large	3kW
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	300x430x465mm
Gornji grejač / Upper heater	0,95kW
Donji grejač / Bottom heater	1,4kW
Infra grejač / Infra heater	2,0kW
Ventilator / Fan	/
Emajlirana tava / Enamelled frying pan	•
Aluminijumska tava / Aluminum pan	/
Rešetka / Grid	•

Boje
Colors



Quick 800



Dimenzije (VxŠxD) / Dimensions (HxWxD)	275x575x110 mm
Snaga / Power	800 W
Površina zagrevanja / Heatable area	7-10 m ²
Težina proizvoda / Product weight	4,15 kg

Boje
Colors



PROIZVOD / PRODUCT	Thermo Rocky	Thermo Magnum	Thermo Magnum	Super Thermo Royal 720	Thermo Vulkan
Dimenzije (VxŠxD) / Dimensions (HxWxD)	850x900x600 mm	865x1070x660 mm	865x1070x660 mm	850x720x600 mm	780x650x545 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	400x290x430 mm	280x230x370 mm	310x400x430 mm	467x272x352 mm	310x400x400 mm
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)	270x350x470 mm	265x350x465 mm	280x270x425 mm	270x350x470 mm	
Snaga (drvo / ugalj) / Power (wood / coal)	25 kW / 17 kW	14 kW / 17 kW	21 kW / 21 kW	11 kW / 14 kW	19,7 kW / 24,8 kW
Snaga predata vodi (drvo / ugalj) / Power given to water (wood / coal)	16 kW / 9,4 kW	9 kW / 9 kW	13 kW / 11 kW	6 kW / 6 kW	14 kW / 14,6 kW
Snaga predata okolini (drvo / ugalj) / Power given to room (wood / coal)	9 kW / 7,6 kW	5 kW / 8 kW	8 kW / 10 kW	5 kW / 8 kW	5,7 kW / 10,2 kW
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	87 % / 82 %	89 % / 85 %	86 % / 89 %	86 % / 86 %	86 % / 85 %
Emisija CO (svedeno na 13% O ₂) (drvo / ugalj) / The average CO value (taken from 13% O ₂) (wood / coal)	0,053% / 0,092%	0,070% / 0,081%	0,072 % / 0,066 %	0,237% / 0,128%	0,077 % / 0,08 %
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	0,028/0,026 g/m ³	0,055 / 0,070 g/m ³	0,039 / 0,037 g/m ³	0,068 / 0,069 g/m ³	0,037 / 0,039 g/m ³
Zapremina kotla / Boiler volume	22 l	11 l	19 l	4 l	24 l
Priključak odvoda dima / Fume outlet position	C* / U*	C,Z* / U,B*	C,Z* / U,B*	L,D,C,Z* / L,R,U,B*	C* / U*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 150 mm	Ø 120 mm	Ø 130 mm	Ø 120 mm	Ø 120 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	189,2 °C / 210,5 °C	129 °C / 160 °C	149,5 °C / 136 °C	121,2 °C / 97,2 °C	227,5 °C / 199 °C
Težina / Weight	164 kg	172 / 206 kg**	188 kg / 222 kg**	119,5 kg	156 kg / 166,5 kg**
Tip goriva / Fuel type	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal
Potrošnja goriva (drvo / ugalj) / Fuel consumption (wood / coal)	5,2 kg/h / 6,1 kg/h	3,3 kg/h / 3,3 kg/h	5,1 kg/h / 7,1 kg/h	2,2 kg/h / 2,7 kg/h	4,3 kg/h / 3,4 kg/h
Kapacitet grejanja (približno) / Heatable volume (approximately)	365 m ³	233 m ³	350 m ³	183 m ³	333 m ³

*L - levi, D - desni, Z - zadnji, C - centralni / *L - left, R - right, U - up, B - back

**Težina sa dekorativnim kamenom / **Weight with decorative stone



Thermo Vulkan Plus	Thermo In	Thermo Vesta	Thermo Pellet	Strong	Magnum	Rocky	Trend
1170x650x580 mm	1000x650x545 mm	890x455x440 mm	1168x596x713 mm	863x902x653 mm	865x1070x660 mm	800x900x600 mm	858x894x420 mm
290x425x400 mm	320x408x390 mm	420x213x334 mm	/	320x250x350 mm	270x270x350 mm	400x320x450 mm	260x280x367 mm
270x350x470 mm	/	/	/	440x300x438 mm	270x350x470 mm	270x350x470 mm	205x367x325 mm
24 kW / 23 kW	16 kW / 19 kW	8 kW / 11 kW	18 kW	10 kW / 7,5 kW	11 kW / 12 kW	11 kW / 12 kW	7,5 kW / 8 kW
15 kW / 14 kW	8 kW / 8 kW	6,5 kW / 9 kW	14 kW	/	/	/	/
9 kW / 9 kW	8 kW / 11 kW	1,5 kW / 2 kW	4 kW	/	/	/	/
85 % / 86 %	88 % / 87 %	83 % / 82 %	90 %	81 % / 80 %	89 % / 85 %	81 % / 80 %	77 % / 73 %
0,054 % / 0,048 %	0,092 % / 0,114 %	0,086 % / 0,077 %	0,03 %	0,0717 % / 0,0552%	0,21 % / 0,11 %	0,036 % / 0,047 %	0,109 % / 0,067 %
--- / ---	0,068 / 0,065 g/m ³	0,058 / 0,036 g/m ³	0,03 g/m ³	0,036 / 0,027 g/m ³	0,067g/m ³ / ---	0,021 / 0,022 g/m ³	0,021 / 0,018 g/m ³
26 l	23 l	4 l	46 l	/	/	/	/
C* / U*	C* / U*	C* / U*	Z* / B*	C,Z* / U,B*	C,Z* / U,B*	C* / U*	L,D* / L,R*
Ø 130 mm	Ø 120 mm	Ø 120 mm	Ø 80 mm	Ø 120/130 mm	Ø 120/130 mm	Ø 120 mm	Ø 120 mm
--- / ---	123,1 °C / 114 °C	142 °C / 150 °C	120 °C	211,5 °C / 181,7 °C	116 °C / 117 °C	178,9 °C / 190,7 °C	180 °C / 174 °C
212 kg	166,5 kg	95 kg	216 kg	210 kg	164 kg / 205,5 kg**	146,4 kg**	96,5 kg
drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	pelet pellet	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal
5 kg/h / ---	3,17 kg/h / 3,3 kg/h	1,6 kg/h / 1,6 kg/h	min/max: 1,2-4,1 kg/h	3,1 kg/h / 2,5 kg/h	2,24 kg/h / ---	3 kg/h / 4,6 kg/h	2,65 kg/h / 3,3 kg/h
360 m ³	266 m ³	133 m ³	300 m ³	166 m ³	183 m ³	183 m ³	125 m ³



PROIZVOD / PRODUCT	Royal 900	Royal 720	Smederevac MBS 9 RS	Smederevac MBS 9	Smederevac MBS 7 RS
Dimenzije (VxŠxD) / Dimensions (HxWxD)	850x900x600 mm	850x720x600 mm	740x945x645 mm	740x945x645 mm	740x820x645 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	175x250x400 mm	175x250x400 mm	250x200x400 mm	195x200x400 mm	250x200x400 mm
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)	270x500x470 mm	270x350x470 mm	200x490x460 mm	200x490x460 mm	200x430x460 mm
Snaga (drvo / ugalj) / Power (wood / coal)	9 kW / 9 kW	8 kW / 7 kW	10 kW / ---	9 kW / ---	9,5 kW / ---
Snaga predata vodi (drvo / ugalj) / Power to the water (wood / coal)	/	/	/	/	/
Snaga predata okolini (drvo / ugalj) / Power to the room (wood / coal)	/	/	/	/	/
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	60 % / 62 %	73 % / 71 %	85 % / ---	60 % / ---	85 % / ---
Emisija CO (svedeno na 13% O2) (drvo / ugalj) / The average CO value (taken from 13% O2) (wood / coal)	0,35 % / 0,37 %	0,138 % / 0,055 %	--- / ---	0,38 % / ---	0,0694 % / ---
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	--- / ---	0,058 / 0,056 g/m ³	--- / ---	--- / ---	0,0266 g/m ³ / ---
Zapremina kotla / Boiler volume	/	/	/	/	/
Priključak odvoda dima / Fume outlet position	L,D,C,Z* / L,R,U,B*	L,D,C,Z* / L,R,U,B*	L,D* / L,R*	L,D* / L,R*	L,D* / L,R*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	277 °C / ---	131 °C / 131 °C	— / ---	295 °C / ---	157 °C / ---
Težina / Weight	121 kg	108 kg	93 kg	84 kg	83 kg
Tip goriva / Fuel type	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal
Potrošnja goriva (drvo / ugalj) / Fuel consumption (wood / coal)	2,5 kg/h / 2,4 kg/h	2,24 kg/h / 4,2 kg/h	— / ---	2 kg/h / ---	2,6 kg/h / ---
Kapacitet grejanja (približno) / Heatable volume (approximately)	150 m ³	133 m ³	150 m ³	150 m ³	158 m ³

*L - levi, D - desni, Z - zadnji, C - centralni / *L - left, R - right, U - up, B - back

**Težina sa dekorativnim kamenom / **Weight with decorative stone



Smederevac MBS 7	Smederevac MBS 3	Eva	Elit	Vulkan	Olymp	Olympia	Vesta
740x820x645 mm	740x720x570 mm	780x605x555 mm	985x588x493 mm	735x650x545 mm	850x585x640 mm	1120x585x640 mm	890x455x440mm
195x200x400 mm	195x200x400 mm	400x500x420 mm	298x400x364 mm	265x390x400 mm	310x250x340 mm	330x250x340 mm	280x400x340mm
200x430x460 mm	200x300x400 mm	/	/	/	/	280x270x425 mm	/
8,5 kW / 9,5kW	6,5 kW / 10 kW	10 kW / ---	8,6 kW / 9 kW	17 kW / 21 kW	12 kW / 12 kW	12 kW / 18 kW	9 kW / 9,5 kW
/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/
85 % / 86 %	81 % / 85 %	80 % / ---	76 % / 74 %	83 % / 84 %	80 % / 82 %	87 % / 87 %	85 % / 86 %
0,179 % / 0,174 %	0,030 % / 0,081 %	/	0,088 % / 0,067 %	0,038 % / 0,042 %	0,046 % / 0,046 %	0,032 % / 0,04 %	0,15 / 0,06 %
0,060 / 0,039 g/m ³	0,038 / 0,030 g/m ³	--- / ---	0,069 / 0,043 g/m ³	0,038 / 0,040 g/m ³	0,04 / 0,028 g/m ³	0,038 / 0,039 g/m ³	0,056 / 0,057 g/m ³
/	/	/	/	/	/	/	/
L,D* / L,R*	L,D* / L,R*	C* / U*	C* / U*	C* / U*	Z* / B*	Z* / B*	C* / U*
Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm
115,6 °C / 94,2 °C	157 °C / 117,5 °C	/	279 °C / 297 °C	211 °C / 243 °C	216 °C / 191°C	129 °C / 129 °C	124 °C / 142,5 °C
74 kg	64 kg	135 kg	124 kg	164,5 kg	110 kg / 140 kg	138 / 188,5 kg**	84,5 kg
drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo wood	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal
1,8 kg/h / 4,0 kg/h	1,5 kg/h / 2 kg/h	--- / ---	2,5 kg/h / 2,2 kg/h	3,5 kg/h / 2,8 kg/h	2,5 kg/h / 1,6 kg/h	2,3 kg/h / 2,3 kg/h	2 kg/h / 2,2 kg/h
142 m ³	108 m ³	150 m ³	143 m ³	283 m ³	200 m ³	200 m ³	150 m ³

TABELA TEHNIČKIH PODATAKA
TECHNICAL DATA TABLE



PROIZVOD / PRODUCT	Hit	Corner	Hera	Happy	MBS Pellet (6 kW, 8,5 kW, 10 kW)
Dimenzije (VxŠxD) / Dimensions (HxWxD)	850x500x440 mm	850x640x575 mm	850x400x560 mm	720x400x400 mm	980x560x490 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	270x280x300 mm	270x280x300 mm	280x290x300 mm	265x220x300 mm	
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)					
Snaga (drvo / ugalj) / Power (wood / coal)	11 kW / 13 kW	10 kW / 12 kW	7 kW / ---	6 kW / ---	6 kW/8,5 kW/10 kW
Snaga predata vodi (drvo / ugalj) / Power to the water (wood / coal)					
Snaga predata okolini (drvo / ugalj) / Power to the room (wood / coal)					
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	82 % / 83 %	81 % / 86 %	89 % / ---	82 % / ---	88 %
Emisija CO (svedeno na 13% O2) (drvo / ugalj) / The average CO value (taken from 13% O2) (wood / coal)	0,037 % / 0,046 %	0,043 % / 0,041 %	0,09 % / ---	0,038 % / ---	0,02 %
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	0,036 / 0,027 g/m ³	0,038 / 0,028 g/m ³	0,067 g/m ³ / ---	0,055 g/m ³ / ---	0,0437 g/m ³
Zapremina kotla / Boiler volume					
Priključak odvoda dima / Fume outlet position	C* / U*	C* / U*	C* / U*	C* / U*	Z* / B*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 80 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	211,8 °C / 245,9 °C	265,9 °C / 222,6 °C	182 °C / ---	221,4 °C / ---	150 °C
Težina / Weight	59,5 kg	64 kg	84 kg	48 kg	111,5 kg
Tip goriva / Fuel type	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	pelet pellet
Potrošnja goriva (drvo / ugalj) / Fuel consumption (wood / coal)	2,2 kg/h / 1,8 kg/h	2,18 kg/h / 1,63 kg/h	1,9 kg/h / ---	1,6 kg/h / ---	min: 0,6 max: 1,6/1,9/2,2 kg/h
Kapacitet grejanja (približno) / Heatable volume (approximately)	183 m ³	166 m ³	117 m ³	100 m ³	100m ³ /133m ³ /166m ³

*L - levi, D - desni, Z - zadnji, C - centralni / *L - left, R - right, U - up, B - back

**Težina sa dekorativnim kamenom / **Weight with decorative stone

EN ISO 9001:2008



EN ISO 14001:2009



Sa tendencijom osvajanja svetskog tržišta, plasiranja kvaliteta i pridobijanja poverenja novih kupaca MBS 1998. Godine dobija nacionalni sertifikat za sistem kvaliteta usaglašen sa zahtevima standarda JUS ISO 9001, a 2003. godine dobijen je sertifikat od strane TÜV CERT za integrisani sistem kvaliteta i zaštite životne sredine usaglašen sa zahtevima standarda ISO 9001 i ISO 14001.

Od tog perioda pa sve do danas, nadzornim proverama i resertifikacijama, nastavlja da potvrđuje svoju opredeljenost ka zadovoljenju potreba i zahteva kupaca kroz negovanje savremenih tokova poslovanja i obezbeđenje propisanih uslova zaštite životne sredine.

MBS has tendencies of conquering the world market, placing quality and getting confidence from a new buyers. In the year 1998 MBS had received national certificate for quality management system that is in compliance with requirements of standard JUS ISO 9001, and in the year 2003 Mbs had received certificate from TÜV CERT for integrated quality management system and environmental management system that is in accordance with requirements of standards ISO 9001 and ISO 14001.

From that period until now we had quality management system and environmental management system auditing and recertifications. MBS continues to confirm its dedication towards satisfying buyers demand and adopting modern ways of doing business as well as providing environmental protection regulations.

MBS istorija u slici
MBS history in pictures



AD Milan Blagojević Smederevo

Đure Strugara 20
11300 Smederevo
Srbija
Tel: 026 633 600
026 633 601
Fax: 026 229 941
office@mbs.rs
www.mbs.rs

AD Milan Blagojevic Smederevo

Djуре Strugara 20
11300 Smederevo
Serbia
Tel: +381 26 633 600
+381 26 633 601
Fax: +381 26 229 941
office@mbs.rs
www.mbs.rs